

Hon Craig Wallace MP Member for Thuringowa

Our ref: MC49582

Your ref: Petitions

2 5 JUN 2010

Mr Neil Laurie The Clerk of the Parliament Parliament House George Street Brisbane Qld 4000 $_{A}$

Dear Mr Laurie



LAD UPON THE TABLE OF Minister for Main Roads No.: 531072467 28 JUN 2010 MP: Hon C Wallace Clock's Signature 2x/6/10

I refer to petition numbers 1439-10, 1440-10 and 1441-10 lodged with the Legislative Assembly by Mr Peter Dowling MP, Member for Redlands on 19 May 2010, about upgrading the intersection of Cleveland-Redland Bay Road and Anita Street, Redland Bay.

The Department of Transport and Main Roads has advised that in January 2009, it completed a detailed investigation into the options for the upgrade of this intersection including installation of traffic signals. Although the investigation was completed in January 2009, the traffic and pedestrian data related to the investigation was collected in November 2008 during school days from 6am to 6pm. Enclosed is a traffic survey for your information (**Attachment A**). This survey provided an accurate picture of the existing traffic and pedestrian movements when upgrade options were considered.

I am advised that traffic signals are installed on state-controlled roads in accordance with the national standard guidelines. These guidelines consider traffic volumes on major and minor roads, crash history, likely reduction in crashes following the installation of traffic signals and the number of pedestrians crossing the road. The intersection of Cleveland-Redland Bay Road and Anita Street did not meet the criteria for signalisation at the time of investigation. Enclosed is a signal warrant analysis for your information (Attachment B).

I am further advised that the department investigated whether a mid-block pedestrian crossing was warranted at this location, to allow residents to safely access the bus stop on the other side of Anita Street. Pedestrian counts undertaken as part of the investigation recorded a total of 12 pedestrians crossing Cleveland-Redland Bay Road over a 12-hour count period. Therefore, a mid-block pedestrian crossing is not warranted at this stage. However, the department will continue to monitor the safety performance of this intersection and review the need for traffic signals, if circumstances change in the future.

Level 13 Mineral House 41 George Street Brisbane 4000 PO Box 15456 City East Queensland 4002 Australia **Telephone +61 7 3896 3691** Facsimile +61 7 3210 6214 **Email** mainroads@ministerial.qld.gov.au ABN 65 959 415 158 A further site inspection carried out in January 2009, as part of the upgrade investigation, did not identify any major concerns requiring the department's immediate attention.

The department is currently working on a long-term corridor planning of this section of Cleveland-Redland Bay Road. This planning is expected to review and rationalise access to and from Cleveland-Redland Bay Road.

If you require further information, please call Mr Mike Carter, Manager (Road Operations) in Brisbane, on 3137 8264. Mr Carter will be pleased to assist.

Yours sincerely

Craig Wallace MP Minister for Main Roads

Enc (2)

MUNICINATIONAL Contribution MUNICINATIONAL Contribution <t< th=""><th>LOCATION: DATE: WEATHER:</th><th>CLEVELAND REDLAND B Tuesday 04/11/08 109 FINE</th><th>04/11/0</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	LOCATION: DATE: WEATHER:	CLEVELAND REDLAND B Tuesday 04/11/08 109 FINE	04/11/0																			
Open in the construction of the constructi	COUNTER																					
Math 2 1	ROAD 1/4 hr ENDING	CLEVEL	AND REDL 1-3	원 ~ 5			PRIVATE FROM 2-1	ENT E/B		U-Tum	PEDS	CLEVEL FROM 3-2	AND RED 3-1	LAND BA' 3-4	r RD NVB U-Tum		ANITA ST FROM 4-3	W/E 4-2			PEDS	Total Traffic 1/4 hr
Matrix 1 1 1 0 223 2 0 1 1 0 0 0 1 1 0 0 0 1 1 0 0 1 0 0 0 1 0	6.45am 7.00am 7.15am 7.30am	0000	59 97 128	0000	0000	0000	00+0	0000	- 000	0000	0000	-000	184 214 224 195	~~~~	0000	0000	5555	0000	ន ភូមិដូន	0000	000-	265 324 350 347
Matrix 1 2 202 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0		0 m 🗜	125 152	- 00	- 0 0	0 ~ 0	000	000	000	000	000	000	283 257 378	NON	000	000	4 9 9 8	0-0	5 2 B	000	NNN	429 442 583
Main F Total Tot	홍수 나는 것		224 202 167	000	0000		0 - N 0	0000	000+	0000	 0000	N 0 H 0	425 317 291	4 40 60 6	0000	 2006	報 て らっ	0000	დიიჭ დიიჭ	0000	0 1 0 0	695 537 482
1 2 201 0 0 1 202 0 1 202 0 1 202 0 1 0	9.30am 9.45am 10.00am) (169 191 191	0-00	0000		0000	0000	-000	0000		0 4 M C	1888 1888 1888 1888 1888 1888 1888 188	0004	0000		0004	0000	2000	0000	0000	4105 405 422 460
Nime 7 73 0 <td>10.15am 10.30am 10.45am</td> <td>4000</td> <td>207 200</td> <td>0000</td> <td>000</td> <td>0</td> <td>0</td> <td>0 0 0 0</td> <td>0 0 0 0</td> <td>0 0 0 0</td> <td>0 0 0 0</td> <td>- 00</td> <td>212 205 196</td> <td>~ ~ ~ ~ ~</td> <td>0 0 0 0</td> <td>0000</td> <td>- www.</td> <td></td> <td>ושמימי</td> <td>0000</td> <td>0000</td> <td>432</td>	10.15am 10.30am 10.45am	4000	207 200	0000	000	0	0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	- 00	212 205 196	~ ~ ~ ~ ~	0 0 0 0	0000	- www.		ושמימי	0000	0000	432
Attach 4 1 1 0 1 0 1 0 1 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 0 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 1 0 0 1 1 0 0 1 1 0 0 1 1 0 1 1 0 0 1 1 0 1 </td <td>11.15am 11.30am</td> <td></td> <td>179</td> <td>0 0</td> <td>000</td> <td>00</td> <td>000</td> <td>0 0</td> <td>000</td> <td>000</td> <td>000</td> <td>- 0</td> <td>180</td> <td>o ∞ +</td> <td>200</td> <td></td> <td>r 0 0</td> <td>000</td> <td>- യ ഗ</td> <td>000</td> <td>0 0</td> <td>388 388 371</td>	11.15am 11.30am		179	0 0	000	00	000	0 0	000	000	000	- 0	180	o ∞ +	200		r 0 0	000	- യ ഗ	000	0 0	388 388 371
Z.S.Dom 2 144 0 <th0< td=""><td>11.45am 12.00pm 12.15pm</td><td>400</td><td>185 198 171</td><td>000</td><td>0000</td><td></td><td></td><td>000</td><td>00-</td><td>0000</td><td>0000</td><td></td><td>175 155 181</td><td>.00-</td><td></td><td></td><td>* * *</td><td>000</td><td>07 40 N</td><td>000</td><td>000</td><td>376 376 357</td></th0<>	11.45am 12.00pm 12.15pm	400	185 198 171	000	0000			000	00-	0000	0000		175 155 181	.00-			* * *	000	07 40 N	000	000	376 376 357
Tight 1 128 0 0 1 131 3 0 0 1 Above 1 130 0 0 0 1 131 3 0 0 1 Above 1 131 0 0 1 131 3 0 0 1 131 3 0 0 1 Above 1 131 0 0 1 131 3 0 0 1 131 3 0 0 1 131 3 0 0 1 131 3 0 0 1 131 3 0 0 1 131	12.30pm 12.45pm 1.00pm	~ 00	144 157 146	000	000	000	00-	000	000	000	000	N G G	114 127 123	440	000	000	091-	666	na na na	0 0 0	- 40	277 302 285
0000 1 1 131 0 0 1 196 3 0 0 1	1.15pm 1.30pm 1.45pm	4004	15 13 13 13	000	000	 000	000	-00	0	000		0-0	131 115 145	m - r	999	000	асы	000	աստա	000	0-0	275 282 299
460m 6 130 <	2.00pm 2.15pm 2.30pm	4	55 <u>1</u> 56	000	000	~ 0 0 0	n - 0	000	000	000	000		99 104	n u u	000	000	200	000	සංශන	000		247 240 356
11 244 0 0 1 244 0 0 1 244 8 0 0 1 356 326 0 0 1 326 0 0 1 326 0 0 1 326 0 0 1 326 0 0 1 326 0 0 1 326 0 0 1 326 0 0 0 1 326 0 0	2.45pm 3.00pm	њю	190 203	00	00	00	0~	00	100	00		000	189 216	မျက	000		n a n		£ 9	00	00	515 525
17 236 0 0 1 176 10 0 <t< td=""><td>3.15рт 3.30рт 3.45рт</td><td>585</td><td>244 279 202</td><td>000</td><td>000</td><td>007</td><td>~ ~ m</td><td>000</td><td>000</td><td>000</td><td>000</td><td>202</td><td>274 181 181</td><td>0 Z 0</td><td>000</td><td>000</td><td><u>က</u>္က က</td><td>000</td><td>u ti a</td><td>000</td><td>000</td><td>9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9</td></t<>	3.15рт 3.30рт 3.45рт	585	244 279 202	000	000	007	~ ~ m	000	000	000	000	202	274 181 181	0 Z 0	000	000	<u>က</u> ္က က	000	u ti a	000	000	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
300m 14 241 0 </td <td>4.00pm 4.15pm</td> <td>17</td> <td>236 269</td> <td>00</td> <td>00</td> <td>1</td> <td>1010</td> <td></td> <td>00</td> <td>00</td> <td></td> <td>0,</td> <td>184</td> <td>6</td> <td>000</td> <td></td> <td>204</td> <td>00</td> <td>104</td> <td>000</td> <td>00</td> <td>656 680</td>	4.00pm 4.15pm	17	236 269	00	00	1	1010		00	00		0,	184	6	000		204	00	104	000	00	656 680
000mm 10 283 0 0 0 0 175 0 0 175 0 0 175 0 0 0 175 0 0 0 0 175 0 0 0 175 0 0 0 175 0 0 0 175 0 0 0 175 0 0 0 175 0 0 0 177 0 0 0 177 0 0 0 177 0 0 0 177 0 0 0 177 177 0 0 0 177 177 0 0 0 177 177 0 0 0 0 177 177 0 <t< td=""><td>4.30pm 4.45pm</td><td>4 0</td><td>241</td><td></td><td>000</td><td>00</td><td>, o -</td><td></td><td>000</td><td>0 Q Q</td><td></td><td>- 0 0</td><td>190</td><td>? m a</td><td>000</td><td>000</td><td>1 - 1</td><td>000</td><td>n é</td><td>000</td><td>) C</td><td>454 515</td></t<>	4.30pm 4.45pm	4 0	241		000	00	, o -		000	0 Q Q		- 0 0	190	? m a	000	000	1 - 1	000	n é	000) C	454 515
1 334 6612 2 1 2 0 0 23 9196 214 1 370 0 1 32.3 4.7 0.0 0.0 1 23.6 0.0 0.0 0.9 0.0 1 2.3 4.7 0.0 0.0 1 23.6 0.0 0.0 0.9 0.0 MENTS: put 1 21 76 0 0 5 0 0 0		5 6 6 6 6 F	283 269 302 317 258	00000		00007		00000		00000			182 175 170 179 169	ο 4 6 6 ∞			004400	0000000	7 a 1 a 4	00000	00000	4 4 4 8 4 4 4 8 4 4 8 4 4 8 4 8 4 8 4 8
2.3 4.7 0.0 0.0 1 23.6 0.0 0.0 1 35.1 4.4 3.6 0.0 1 2.2 0.0 0.9 0.0 MEMTS: PUL 1 21 764 0.0 0 1 3 0 0 0 1 3 1411 13 0 0 1 36 0 0 0	DTALS	334	6612	101	T	32 -	24	1	G	0		23	9616	214	a	-+-	244	-1	370	a	34	
MENTS: pui [21 764 0 0 0 [3 0 0 0 0] 3 1471 13 0 0 [36 0 50 0	S	0. S	¢.,	0.0	0.0	1847 - 1947 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 - 1949 -			0.0	0.0		1.35	5.2							0.0		
puit [21 764 0 0 0 [3 0 0 0] 3 1411 13 0 0 [36 0 50 0	COMMENTS:																					
	Sidra Input MAPEAK	21 47	164	0.	0.	0	6	0	0	0	i	0	1111	¢			¥	c	Ş	c	V	

¥

Volume Classified Count sheet

Appendix 2 Signal Warrant Analysis

As per critiera envisaged in Part 14, MUTCD (1.4.3) (Also refer to QDMR Road Planning and Design Manual Chapter 13 Section 13.5.6.2 Warrants for Traffic Signals) Intersection: Cleveland Redland Bay Road / Anita Street

	Guideline 1 (Traffic Volume)		Guideline 2 (Traffic Volume)		Guideline 3 (Accident Type)		
	Major Roads	Minor Roads (Higher volume approach)	Major Roads	Minor Roads (Higher volume approach)	Right turn accident (3-4)	Right turn accident (4-1)	Guideline 4 (Pedestrian
Traffic Volume	veh/hr >600	veh/hr >200	veh/hr >900	veh/hr >100	After introducing protected RT lane	After introducing protected RT lane	Volume)
Criteria	Are there Veh>600 for four times a day?				Are there 3 accidents per year which can be eliminated by signal?	Are there 3 accidents per year which can be eliminated by signal?	Are there pedestrian crossing major road > 150/hr?
Yes / No	Yes -	No	Yes	No	No	Νο	No
Does it meet the criteria?		No		No	No	No	No



Hon Craig Wallace MP Member for Thuringowa

Our ref: MC49582

Your ref: Petitions

2 5 JUN 2010

Mr Neil Laurie The Clerk of the Parliament Parliament House George Street Brisbane Qld 4000 /

Dear Mr Laurie

I refer to petition numbers 1439-10, 1440-10 and 1441-10 lodged with the Legislative Assembly by Mr Peter Dowling MP, Member for Redlands on 19 May 2010, about upgrading the intersection of Cleveland-Redland Bay Road and Anita Street, Redland Bay.

The Department of Transport and Main Roads has advised that in January 2009, it completed a detailed investigation into the options for the upgrade of this intersection including installation of traffic signals. Although the investigation was completed in January 2009, the traffic and pedestrian data related to the investigation was collected in November 2008 during school days from 6am to 6pm. Enclosed is a traffic survey for your information (**Attachment A**). This survey provided an accurate picture of the existing traffic and pedestrian movements when upgrade options were considered.

I am advised that traffic signals are installed on state-controlled roads in accordance with the national standard guidelines. These guidelines consider traffic volumes on major and minor roads, crash history, likely reduction in crashes following the installation of traffic signals and the number of pedestrians crossing the road. The intersection of Cleveland-Redland Bay Road and Anita Street did not meet the criteria for signalisation at the time of investigation. Enclosed is a signal warrant analysis for your information (Attachment B).

I am further advised that the department investigated whether a mid-block pedestrian crossing was warranted at this location, to allow residents to safely access the bus stop on the other side of Anita Street. Pedestrian counts undertaken as part of the investigation recorded a total of 12 pedestrians crossing Cleveland-Redland Bay Road over a 12-hour count period. Therefore, a mid-block pedestrian crossing is not warranted at this stage. However, the department will continue to monitor the safety performance of this intersection and review the need for traffic signals, if circumstances change in the future.

Level 13 Mineral House 41 George Street Brisbane 4000 PO Box 15456 City East Queensland 4002 Australia **Telephone +61 7 3896 3691** Facsimile +61 7 3210 6214 Email mainroads@ministerial.qld.gov.au ABN 65 959 415 158



Minister for Main Roads

A further site inspection carried out in January 2009, as part of the upgrade investigation, did not identify any major concerns requiring the department's immediate attention.

The department is currently working on a long-term corridor planning of this section of Cleveland-Redland Bay Road. This planning is expected to review and rationalise access to and from Cleveland-Redland Bay Road.

If you require further information, please call Mr Mike Carter, Manager (Road Operations) in Brisbane, on 3137 8264. Mr Carter will be pleased to assist.

Yours sincerely

Craig Wallace MP Minister for Main Roads

Enc (2)